

CX41

TDR for the Outside Plant



The CX41 is a budget friendly and ultra portable Time Domain Reflectometer suitable for the Outside Plant.

Key Features

- Fault identification and location
- Cable length verification
- One touch automatic mode for a quick test
- Manual mode for detailed TDR trace analysis
- DC voltage measurement for line power verification*
- AC voltage measurement for induced foreign voltage detection*
- Simple user interface that saves time on the job

*Telco Version

Specifications

- Telco Version:
 - Test Port: 2 mm banana
 - Range: 3.6 km (12 kft)
- Coaxial Version:
 - Test Port: F or BNC
 - Range: 1.5 km (5 kft)
- Accuracy: 1% of selected range or 1m (3 ft)
- Minimum resolution: 0.025m (0.08 ft)
- Velocity factor: Adjustable to 99%
- Pulse width: 10 ns to 10 μ s (automatic with range)
- Impedance: 50, 75, 100, 120 ohms
- DC voltage range: 300V*
- AC voltage range: 200V*
- Dimensions: 129 x 61 x 39 mm (5.1 x 2.4 x 1.5 in)
- Weight: <450 grams (<1 pound)
- Battery options: Standard alkaline AA or optional rechargeable NiMH



VeEX Inc.
2827 Lakeview Court
Fremont, CA 94538 USA
Tel: +1.510.651.0500
Fax: +1.510.651.0505
www.veexinc.com
customer@veexinc.com

© 2020 VeEX Inc. All rights reserved.
VeEX is a registered trademark of VeEX Inc. The information contained in this document is accurate. However, we reserve the right to change any contents at any time without notice. We accept no responsibility for any errors or omissions. In case of discrepancy, the web version takes precedence over any printed literature.
D05-00-185P A00 2020/11